15712830740 ;

Nov-17-06 5:26PM

Page 1 of 5

Appl. No. 10/687,768 Pre-Appeal Brief Request for Review

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

: 10/687,768

Applicant

: Yukio NARUKAWA et al.

Filed

: 20 Oct. 2003

TC/A.U.

: 2814

Examiner

: Hoa B TRINH

Atty. Docket

: AZU.002

Title: NITRIDE SEMICONDUCTOR DEVICE.

AND ITS FABRICATION PROCESS

CERTIFICATE OF MAILING OR **TRANSMISSION**

I certify that this correspondence is being:

[] deposited with the U.S. Postal Service with sufficient postage as first-class mail in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

[x] transmitted by facsimile to the U.S. Patent and Trademark Office at (571) 273-8300

On: November 17, 2006

Debra Colonna

Customer Window, Mail Stop AF Randolph Building 401 Dulany Street

U.S. Patent and Trademark Office

Alexandria, VA 22314

Sir or Madam:

In response to the final Office Action of 17 May 2006 and Advisory Action dated 03 October 2006, Applicants request review of the final rejection in the above referenced application. No amendments are being filed with this request. This paper is being filed with a Notice of Appeal.

PRE-APPEAL BRIEF REQUEST FOR REVIEW

This review is requested for the reasons stated on the attached sheets.

Appl. No. 10/687,768
Pre-Appeal Brief Request for Review

Page 2 of 5


RECEIVED
CENTRAL FAX CENTER

The Examiner Has Made Clear Errors In the Rejections of Claims 1, 2, 4-10, 12, 13, and 19-21

NOV 1 7 2006

Claim 6

The final Office Action rejected claim 6, stating that "Hosoba discloses that at least one of surfaces of the n-type semiconductor layer 250 (fig. 4) contiguous to the active layer 310 (fig. 4) is a surface vertical to the major surface of the n-type semiconductor layer 250." (See, final Office Action, page 3, paragraph 2, emphasis added). Fig. 4 of Hosoba is shown below.



By inspection of Fig. 4, it can clearly be seen that Fig. 4 of <u>Hosoba</u> does not contain any elements labeled 250 or 310. Accordingly, the rejection of claim 6 is factually defective and should be withdrawn.

Claim 19

The final Office Action rejected claim 19, stating that "Hosoba does not explicitly teach that the M or A planes of the active layer make an angle of 30, 60, ..., 300, or 330 degrees, as viewed from the upper surface of the first conductive layer 250 (fig. 4)." (See, final Office Action, page 6, last paragraph).

Appl. No. 10/687,768 Pre-Appeal Brief Request for Review

Page 3 of 5

Again, by inspection of Fig. 4 of Hosoba shown above, it can clearly be seen that Hosoba does not contain any element labeled 250. Accordingly, the rejection of claim 19 is factually defective and should be withdrawn.

Moreover, claim 19 recites, among other things, recesses having a "repetitively corrugated shape with back-to-back side face angles of 120° and 240°" (emphasis added). One embodiment of the invention including this feature is shown in Fig. 9 of the present application. The final Office Action falls to even address this feature, and therefore the rejection of claim 19 is further defective and should be withdrawn.

Claim 13

Claim 13 recites "wherein the active layer emits light components having two or more different major peak wavelengths, and the light components are mixed to produce a color." (emphasis added). Hosoba fails to recite this feature. Instead, Hosoba only discusses emitting light with one peak wavelength: "pure green emitted light...at a peak wavelength of 555nm" (See, Hosoba at col. 25, lines 45-47). Accordingly, the rejection of claim 13 is defective and should be withdrawn.

Claim 9

Claim 9 recites "wherein the active layer comprises a plurality of M or A planes that intersect each other at angles of 30°, 60°, 90°, 120°, 150°, 210°, 240°, 270°, 300° or 330°, as viewed from an upper surface of the n-type semiconductor layer." Exemplary embodiments of this feature are illustrated in FIG. 2 of the present application. Hosoba and Romano both fail to disclose M or A planes having any intersection whatsoever as viewed from an upper surface of an n-type semiconductor layer. Accordingly, the rejection of claim 9 is defective and should be withdrawn.

Claim 21

Claim 21 recites "wherein the recess is one of a plurality of triangle shaped recesses formed in the n-type semiconductor layer." (emphasis added). Exemplary

Appl. No. 10/687,768
Pre-Appeal Brief Request for Review

Page 4 of 5

embodiments of this feature are disclosed in FIG. 1 of the present application. However, <u>Hosoba</u> completely fails to disclose any triangle shaped recesses and therefore the rejection of claim 21 is factually defective and should be withdrawn.


Claim 1

Among other things, claim 1 recites "a recess formed on a major surface of [an] n-type semiconductor layer, the recess having a **bottom surface** and sidewalls with a **different planar orientation** from the bottom surface" (emphasis added). One embodiment of such a feature is shown in FIG. 5 of the present application.

Applicants respectfully submit that <u>Hosoba</u> does not disclose such a feature.

The Examiner maintains that FIG. 6 of <u>Hosoba</u> shows a recess having a bottom surface and sidewalls and states that "the bottom of the recess has a bottom surface regardless of the size of the surface". (See, Advisory Action, page 2). However, the Examiner does not demonstrate or even allege that the so-called recess in <u>Hosoba</u> has a bottom surface that is *planar* or a bottom surface having a particular *planar orientation*. Accordingly, the rejection of claim 1 is defective and should be withdrawn.

Fig. 6 of <u>Hosoba</u> is included below, together with the Examiner's handwritten annotations.



Nov-17 PECETYET M; CENTRAL FAX CENTER

NOV 1 7 2006 Page 5 of 5

Appl. No. 10/687,768 Pre-Appeal Brief Request for Review

As seen in FIG. 6 and as described in the disclosure of Hosoba, "each slope of the V-grooves 51a₁ [and therefore the V-grooves In layer 52] has an orientation of a (111) A plane." (See, Hosoba at col. 24, lines 28-31). In other words, the so-called recess in layer 52 of Hosoba is created by performing crystal growth on substrate 51 using "an MOCVD method during [a] first crystal growth step". (See, Hosoba, col. 25, lines 5-8). As a result, two crystal planes are formed by the so-called recess, both planes having an "A plane" crystal orientation. Because the so-called recess in FIG. 6 in Hosoba DOES NOT contain an additional "bottom surface" having a different planar orientation from the two crystal planes, the rejection of claim 1 is based on a clear factual error regarding the disclosure of Hosoba.

Accordingly, for at least these reasons, Applicant respectfully submits that the rejection of claim 1 is defective and should be withdrawn.

Claims 2 and 4-10, 12-13, and 19-21

Claims 2 and 4-10, and 19-21 depend from claim 1 and are deemed patentable for at least the reasons set forth above with respect to claim 1.

CONCLUSION

In view of the foregoing explanations, Applicants respectfully request that the prior art rejections of claims 1, 2, 4-10, 12, 13, and 19-21 be withdrawn and the claims allowed or the application returned to the Examiner for further prosecution.

Respectfully submitted,

VOLENTINE FRANCOS & WHITT, P.L.L.C.

Date: 17 November 2006

Registration No. 56,612

VOLENTINE FRANÇOS & WHITT, P.L.L.C. One Freedom Square 11951 Freedom Drive, Suite 1260

Reston, Virginia 20190

Telephone No.: (571) 283.0724 Facsimile No.: (571) 283.0740